

# Poster Program

- [P.01] Determination of pathogen subgroup exposure based on presence of ecoli among households in obunga kisumu kenya**  
J.O. Ondiji<sup>1</sup>, B.E. Atitwa<sup>1</sup>, O. Imali<sup>1</sup>, B. Kelly<sup>2</sup>, S. Sheillah<sup>1</sup>, O. Cumming<sup>3</sup>, R. Dreibelbis<sup>3</sup>, C. Alexandria<sup>3</sup>, J. "Mumma"<sup>1</sup>, <sup>1</sup>Great Lakes University of Kisumu, Kenya, <sup>2</sup>University of IOWA, USA, <sup>3</sup>London School of Hygiene and Tropical Medicine, UK
- [P.02] Maternal and child DHS health indicators, disaggregated by poverty, for sub-Saharan African cities**  
A. Ditter, R. Cohen, L. Abebe\*, H. Petach, C. Bennett, *United States Agency for International Development, USA*
- [P.03] Increasing urbanisation problems: Implications on safe water, sanitation and hygiene practices**  
M.P. Ajayi\*, E.O. Amoo, G.W. Samuel, A.E. Jegede, S.O. Adeusi, T. Olawande, *Covenant University, Nigeria*
- [P.04] Spousal discussion on family planning and decision to use family planning services. How involved are men in our communities? Findings from omnibus survey in 8 States in Nigeria**  
L.S. Ajijola\*, O. Ishola, K. Dashe, N. Afolabi, V. Igharo, M. Brendan, D. Akila, S. Olabode-Ojo, A. Akiode, M. Odeku, *Johns Hopkins Centre for Communication Programs, Nigeria*
- [P.05] Fatalism as a determinant of family size: Expanding the understanding of the phenomenon**  
A.N. Akiode\*, A.A. Akiode, N.B. Afolabi, K.M. Abdullahi, *Nigerian Urban Reproductive Health Initiative, Nigeria*
- [P.06] Infectious disease in a suburban planet**  
S.H. Ali<sup>1</sup>, C. Connolly<sup>2</sup>, R. Keil<sup>1</sup>, <sup>1</sup>York University, Canada, <sup>2</sup>National University of Singapore, Singapore
- [P.07] Ebola Pandemic and health seeking behaviour among urban men: Strategic framework for management of health emergencies**  
E.O. Amoo\*, G.A. Oni, A.O. Obayan, A. Alao, G.W. Samuel, *Covenant University, Nigeria*
- [P.08] Urban conditions and screening behaviour of prostate cancer among working-class men in North-west and South-west Nigeria**  
E.O. Amoo\*, S.O. Ogini, M.P. Ajayi, A. Adebayo, *Covenant University, Nigeria*
- [P.09] City health plan: A comprehensive approach to address health needs of the city**  
S. Banerjee, *Asian Development Bank, India*
- [P.10] Assessing the quality of health services provided through the urban health extension program in Ethiopia: A descriptive analysis**  
Y.T. Bayou<sup>1</sup>, H.A. Tilahun<sup>1</sup>, D. Hailemariam<sup>2</sup>, A. Nega<sup>2</sup>, B. Tassew<sup>2</sup>, M. Adssie<sup>2</sup>, D. Assefa<sup>2</sup>, D. Siraw<sup>2</sup>, <sup>1</sup>John Snow, Inc, Ethiopia, <sup>2</sup>Addis Ababa University, Ethiopia
- [P.11] Implementing an Urban community health information system: Early implementation experiences from Ethiopia**  
Y.T. Bayou\*, H.A. Tilahun, B. Tadesse, C. Yasin, M. Abuye, Y. Leta, *John Snow, Inc, Ethiopia*
- [P.12] Leadership, management, and governance (LMG) training to improve the quality of facility-based care in urban Ethiopia**  
Y.T. Bayou\*, T. Hailu, H.A. Tilahun, M. Bejjiga, B. Debebe, *John Snow, Inc, Ethiopia*
- [P.13] Improving urban health governance through strengthening information system in Bangladesh: Opinions of key stakeholders**  
D.S. Bhattacharyya\*, A. Alam, A. Khanom, M.E. Chowdhury, *Share International Centre for Diarrhoeal Disease Research, Bangladesh*
- [P.14] Strengthening individual and institutional capacity to use 'urban health atlas' – An interactive geo-referenced health information system tool to reinforce health services delivery and governance in urban Bangladesh**  
D.S. Bhattacharyya<sup>1</sup>, S. Shafique<sup>1</sup>, S.M. Hasan<sup>1</sup>, T. Hossain<sup>1</sup>, S. Ahmed<sup>1</sup>, R. Islam<sup>1</sup>, N.A. Rakib<sup>1</sup>, A. Adams<sup>2</sup>, <sup>1</sup>International Centre for Diarrhoeal Disease Research, Bangladesh, <sup>2</sup>Georgetown University, USA
- [P.15] Spatial analysis of the perception of family planning among urban teenage mothers in Nigeria**  
M.G. Brendan\*, N. Afolabi, *Nigerian Urban Reproductive Health Initiative, Nigeria*
- [P.16] Reaching the urban poor with vaccines: Challenges and opportunities**  
C. Burgess\*, I. Hussein, *JSI Research & Training Institute, Inc., USA*

- [P.17] Health gossip in the city: Navigating the tensions of governing urban health risks in an African City**  
K. Buyana, *Makerere University, Uganda*
- [P.18] Bioethics reflections involving the 2030 agenda for sustainable development and health promotion for university teaching staff**  
I.N. Carlotto\*, M.A.P. Dinis, *University Fernando Pessoa, Portugal*
- [P.19] Perceived causes and treatment of child diarrhea in the informal settlements: Evidence from Obunga, Kisumu Kenya**  
L. Cheruiyot<sup>1</sup>, E. Aseyo<sup>1</sup>, S. Simiyu<sup>1</sup>, D. Nelima<sup>4</sup>, R. Dreibelbis<sup>3</sup>, K. Baker<sup>2</sup>, O. Cumming<sup>3</sup>, J. Mumma<sup>1</sup>, <sup>1</sup>Great Lakes University of Kisumu, Kenya, <sup>2</sup>University of IOWA, USA, <sup>3</sup>London School of Hygiene and Tropical Medicine, UK, <sup>4</sup>The Africa Early Childhood Network (AfECN), Kenya
- [P.20] Estimating the burden of injury related disabilities among urban population in Bangladesh from a nationwide survey: A priority agenda for achieving the sustainable Development Goals (SDGs)**  
S.M. Chowdhury<sup>1</sup>, F. Rahman<sup>1</sup>, M.R. Arif<sup>1</sup>, <sup>1</sup>Centre for Injury Prevention and Research, Bangladesh, <sup>2</sup>Ministry of Health & Family Welfare, Bangladesh
- [P.21] Prevalence and risk factors of hypertension among adult male in urban areas of India**  
M. Dutta<sup>1</sup>, L. Prasad<sup>1</sup>, <sup>1</sup>International Institute for Population Sciences, India, <sup>2</sup>Tata Institute of Social Sciences, India
- [P.22] The impact of low emission on the health of the residents of the cities of Middle Odra region (Poland)**  
M. Dzikuc\*, M. Dzikuc, *University of Zielona Góra, Poland*
- [P.23] Youthbuild Brazil: Changing lives and communities**  
K. Edmundo<sup>1</sup>, M. Abla<sup>1</sup>, D. Becker<sup>1</sup>, B.H. Smith<sup>2</sup>, P. Hoyt-Hudson<sup>2</sup>, M. Phillips<sup>2</sup>, <sup>1</sup>Centro de Promoção da Saude, Brazil, <sup>2</sup>The Rogosin Institute, USA
- [P.24] Barriers to healthcare delivery and recommendations for ameliorating healthcare for street-connected young people in Kenya**  
P. Shah<sup>1</sup>, L. Embleton<sup>2</sup>, A. Gayapersad<sup>2</sup>, R. Kiptui<sup>3</sup>, D. Ayuku<sup>3</sup>, P. Braitstein<sup>2</sup>, <sup>1</sup>Academic Model Providing Access to Healthcare, Kenya, <sup>2</sup>University of Toronto, Canada, <sup>3</sup>Moi University, Kenya
- [P.25] Conceptualizing stigma and discrimination of street-connected young people in Kenya**  
L. Embleton<sup>1</sup>, P. Shah<sup>1</sup>, A. Gayapersad-Amin<sup>1</sup>, R. Kiptui<sup>1</sup>, D. Ayuku<sup>1</sup>, P. Braitstein<sup>1</sup>, <sup>1</sup>University of Toronto, Canada, <sup>2</sup>Academic Model Providing Access to Healthcare, Kenya, <sup>3</sup>University of Toronto, Canada, <sup>4</sup>Moi University, Kenya
- [P.26] Indicators for healthy place-making: Evolving systemic patterns**  
M. Grant, *Environmental Stewardship for Health, UK*
- [P.27] Urban health program of India: Progress, learning, and challenges**  
B. Gupta<sup>1</sup>, S. Banerjee<sup>2</sup>, <sup>1</sup>MOHFW, India, <sup>2</sup>Asian Development Bank, India
- [P.28] Quality of health services in urban health extension program and its associated challenges in Ethiopia**  
D. Hailemariam<sup>1</sup>, M.A. Addise<sup>1</sup>, D. Assefa<sup>1</sup>, B. Tasew<sup>1</sup>, A. Nega<sup>1</sup>, D. Siraw<sup>2</sup>, Y. Tebekaw<sup>3</sup>, H. Alemu<sup>3</sup>, <sup>1</sup>Addis Ababa University, Ethiopia, <sup>2</sup>Center for Urban Health Development, Ethiopia, <sup>3</sup>JSI-Strengthening Ethiopia's Urban Health Program, Ethiopia
- [P.29] Strengthening urban health systems through health facility mapping**  
S.M. Hasan<sup>1</sup>, S. Ahmed<sup>1</sup>, D. Shankar<sup>1</sup>, S. Shafique<sup>1</sup>, A. Adams<sup>2</sup>, <sup>1</sup>International Centre for Diarrhoeal Disease Research, Bangladesh, <sup>2</sup>Georgetown University, USA
- [P.30] Spectacles-wear compliance monitoring among school children in selected slums in Dhaka**  
M.A. Hossain<sup>1</sup>, H. Kim<sup>2</sup>, M. Alauddin<sup>1</sup>, L. Husain<sup>1</sup>, M. Ahmed<sup>1</sup>, N. Kabir<sup>1</sup>, <sup>1</sup>Orbis International Bangladesh, Bangladesh, <sup>2</sup>Project BOM, Republic of Korea
- [P.31] Situation of uncorrected refractive error among urban school children of Dhaka**  
M.A. Hossain<sup>1</sup>, H. Kim<sup>2</sup>, L. Husain<sup>1</sup>, M. Alauddin<sup>1</sup>, M. Ahmed<sup>1</sup>, N. Kabir<sup>1</sup>, <sup>1</sup>Orbis International Bangladesh, Bangladesh, <sup>2</sup>Project BOM, Republic of Korea
- [P.32] Assessing diagnostic and evaluation tools for use in urban immunisation programming: A critical narrative review and proposed framework**  
T. Crocker-Buque, S. Mounier-Jack, N. Howard\*, *London School of Hygiene and Tropical Medicine, UK*
- [P.33] Urban health risk indicators for monitoring negative external effects of transport - examples from Norway**  
S.H. Jørgensen, *Norwegian University of Science and Technology, Norway*

- [P.34] Assessing water, sanitation and hygiene services during flooding events in two vulnerable settings in Abidjan, in Côte d'Ivoire**  
P. Kouame\*<sup>1</sup>, C.B. Niwagaba<sup>1</sup>, D. Kouassi<sup>1</sup>, G. Fokou<sup>1</sup>, B. Bassirou<sup>1</sup>, <sup>1</sup>Centre Suisse de Recherches Scientifiques en Côte d'Ivoire, Cote D'Ivoire, <sup>2</sup>Makere University, Uganda
- [P.35] Invest for Wellness (i4We) - A high impact self funded primary health care model for special communities**  
S. Kumar, Swasti, India
- [P.36] Big city interventions for key populations (HIV)**  
S. Kumar, Swasti, India
- [P.37] Computerized maintenance management system (CMMS) as a strategic tool for public health facility maintenance**  
O.T. Laseinde, University of Johannesburg, South Africa
- [P.38] Multi criteria considerations for optimization of health care facility lifecycle plans**  
O.T. Laseinde, University of Johannesburg, South Africa
- [P.39] Value creators: An innovative approach to solve urban health's wicked challenges**  
A.M.J. Leusenkamp, Windesheim University of Applied Sciences, The Netherlands
- [P.40] How active is a campus? evaluating college students' physical activity and hints for healthy workplace**  
J.L. Zhang, J.P. Liu\*, Q.X. Xu, Y.F. Wang, Z. Xu, Nanjing Forestry University, China
- [P.41] Integrating sustainable water and sanitation solutions to create safer, more inclusive and climate resilient cities in Tanzania and South Africa**  
B. Levira<sup>1</sup>, E. Mrimi<sup>1</sup>, J. Thomas<sup>2</sup>, C. Buckley<sup>3</sup>, D. Lwetoijera\*<sup>1</sup>, <sup>1</sup>Ifakara Health Institute, Tanzania, <sup>2</sup>University of Sydney, Australia, <sup>3</sup>University of Kwazulu-Natal, South Africa
- [P.42] Leading health promotion through community empowering evaluation, a continuous challenge in Medellin**  
E. Martinez\*<sup>1</sup>, Y. Lemos<sup>1</sup>, C. Rodriguez<sup>1</sup>, D. Hernandez<sup>1</sup>, V. Lopera<sup>1,2</sup>, <sup>1</sup>University of Antioquia, Colombia, <sup>2</sup>The Secretariat of Health, Medellin, Colombia
- [P.43] Healthy change experiences addressed by women, based on commune planning actions in a deprived zone in Medellin**  
S. Cano, E. Martínez\*, A. Agudelo, University of Antioquia, Colombia
- [P.44] Understanding the extent and nature of evidence-informed urban health planning: Lessons from three Asian cities**  
T. Mirzoev\*<sup>1</sup>, A.N. Poudel<sup>1</sup>, D. Wong<sup>1</sup>, S. Khanal<sup>2</sup>, S. Baral<sup>2</sup>, D.M. Duc<sup>3</sup>, H.V. Minh<sup>3</sup>, R. Huque<sup>4</sup>, T. Ferdous<sup>4</sup>, H. Eley<sup>1</sup>, <sup>1</sup>University of Leeds, UK, <sup>2</sup>HERD International, Nepal, <sup>3</sup>Hanoi University of Public Health, Viet Nam, <sup>4</sup>ARK Foundation, Bangladesh
- [P.45] Salutogenic social innovation: The sense of community coherence in seven "comunas" of Medellin, 2018**  
J.C. Molina\*, E. Martinez, Universidad de Antioquia, Colombia
- [P.46] The spill over effects of tobacco control policy in the South African health system**  
C.M. Mostert, University of Witwatersrand, South Africa
- [P.47] Knowledge and practices of healthcare workers regarding medical waste management in an urban tertiary hospital in Gaborone Botswana**  
B. Mugabi\*, S.C. Chima, University of KwaZulu-Natal, South Africa
- [P.48] Gentrification (2006-2015) and self-rated health in California neighborhoods**  
J.M. Izenberg<sup>1</sup>, M.S. Mujahid\*<sup>2</sup>, I.H. Yen<sup>3</sup>, <sup>1</sup>UCSF, USA, <sup>2</sup>UC Berkeley, USA, <sup>3</sup>UC Merced, USA
- [P.49] Precarious work and female informal market traders in a time of cholera: The 2017 – 2018 cholera outbreak in Lusaka, Zambia.**  
C.N. Mulenga\*<sup>1</sup>, M. Mulunga<sup>2</sup>, O.A. Yerokun<sup>2</sup>, D. Mpolomoka<sup>2</sup>, <sup>1</sup>University of Cape Town, South Africa, <sup>2</sup>Zambian Open University, Zambia
- [P.50] Evidence for the re-engineering of urban Jamaican informal settlements as a health equity and social justice tool**  
J. Mullings\*<sup>1</sup>, M. Sue Ho<sup>1,2</sup>, L. Dunn<sup>1</sup>, C. Archer<sup>1,3</sup>, R. Wilks<sup>1</sup>, <sup>1</sup>The University of the West Indies, Jamaica, <sup>2</sup>Jamaica Social and Investment Fund, Jamaica, <sup>3</sup>University of Technology, Jamaica
- [P.51] 'Whole-city' as a new concept of urban governance in resource-constrained cities in the global south**  
L. Musoro, London Metropolitan University, UK

- [P.52] Unseen health risks in informal Delhi's housing: Application of a holistic rapid risk assessment tool to identify and respond to settlement hazards**  
E. Nix<sup>\*1</sup>, J. Paulose<sup>2</sup>, I. Bhatnagar<sup>1</sup>, C. Shrubsole<sup>1</sup>, H. Altamirano-Medina<sup>1</sup>, R. Khosla<sup>2</sup>, <sup>1</sup>UCL Institute for Environmental Design and Engineering, UK, <sup>2</sup>Centre for Urban and Regional Excellence, India
- [P.53] Evidence driven advocacy: The arrowhead for business unusual approach to family planning program in ogun state**  
C.D. Amaechi, V.I. Igharo, O.A. Ojelade\*, A.O. Oyeyemi, O.K. Omotoso, *The Challenge Initiative, Nigeria*
- [P.54] Using home grown social behaviour change communication committee as sustainability platform for reproductive health social mobilisation in Ogun State, Nigeria**  
O.A. Ojelade\*, A.O. Oyeyemi, *The Challenge Initiative, Nigeria*
- [P.55] Electronic waste management in developing countries: A study of environmental impacts and issues in Lagos, Nigeria**  
J.O. Olayinka-Olagunju\*, M.D. Simatele, *University of the Witwatersrand, South Africa*
- [P.56] Magnitudes of household environment association with diarrhoea diseases and treatment seeking behaviours among under-five children in India**  
S. Patel\*, S.K. Patel, *International Institute for Population Sciences, India*
- [P.57] De-engineering sustainable sanitation solutions for urban poor: Uncovering complex systems and challenges**  
J. Paulose<sup>\*1</sup>, R. Khosla<sup>1</sup>, P. Singh<sup>1</sup>, A. Kumar<sup>2</sup>, C.K. Rao<sup>3</sup>, <sup>1</sup>Centre for Urban and Regional Excellence, India, <sup>2</sup>Jal Seva Charitable Foundation, India, <sup>3</sup>International Water Management Institute, India
- [P.58] Understanding nutrition transition and the influence of culture on food and body image among migrant women in Nairobi, Kenya**  
R. Peters<sup>\*1</sup>, H. Elsey<sup>1</sup>, J.N. Newell<sup>1</sup>, A.J. Hill<sup>1</sup>, B.U. Mberu<sup>2</sup>, P. Muriuki<sup>2</sup>, M. Muasa<sup>3</sup>, E. Anono<sup>4</sup>, <sup>1</sup>University of Leeds, UK, <sup>2</sup>African Population Health Research Centre, Kenya, <sup>3</sup>Carolina for Kibera, Kenya, <sup>4</sup>Kenyatta University, Kenya
- [P.59] Willingness to pay for health insurance among urban poor: An evidence from urban health care project in Bangladesh**  
M.M. Rahman<sup>\*1</sup>, S. Mizan<sup>1</sup>, R. Safii<sup>1</sup>, S.K. Ahmad<sup>1,2</sup>, <sup>1</sup>Universiti Malaysia Sarawak, Malaysia, <sup>2</sup>Bangladesh University of Health Sciences, Bangladesh
- [P.60] Challenges and opportunities for healthy aging in urban Uganda**  
A. Rishworth\*, S.J. Elliott, *University of Waterloo, Canada*
- [P.61] The urban health of Siliguri city in West Bengal: Spatial analyses of land use land cover change**  
A. Rudra\*, N. Sharif, *IIPS, India*
- [P.62] Does safe abortion reduce post abortion complication in India?**  
H. Sahoo, *International Institute for Population Sciences, India*
- [P.63] Learning to plan healthier cities with precise data**  
A. Salmi<sup>\*1</sup>, J. Chenal<sup>1</sup>, I. Guessous<sup>2,3</sup>, S. Joost<sup>1,3</sup>, <sup>1</sup>Urban and regional planning community (CEAT), School of Architecture, Civil and Environmental Engineering (ENAC), Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland, <sup>2</sup>Geneva University Hospitals, Switzerland, <sup>3</sup>Laboratory of Geographic Information Systems (LASIG), School of Architecture, Civil and Environmental Engineering (ENAC), Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland
- [P.64] Body mass index association with exposure to night-time noise in the state of Geneva**  
A. Salmi<sup>\*1</sup>, J. Chenal<sup>1</sup>, S. Joost<sup>1,3</sup>, I. Guessous<sup>2,3</sup>, <sup>1</sup>Urban and regional planning community (CEAT), School of Architecture, Civil and Environmental Engineering (ENAC), Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland, <sup>2</sup>Geneva University Hospitals, Switzerland, <sup>3</sup>Laboratory of Geographic Information Systems (LASIG), School of Architecture, Civil and Environmental Engineering (ENAC), Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland
- [P.65] Measuring the SDG target to reduce road traffic deaths: Quality of vital registration coding of road traffic deaths in 366 Latin American cities**  
D.A. Quistberg<sup>1</sup>, P. Hessel<sup>2</sup>, C.G. Guevel<sup>7</sup>, O.L. Sarmiento<sup>\*2</sup>, D.A. Rodriguez<sup>3</sup>, W.T. Caiaffa<sup>4</sup>, A.A. Hernandez-Vasquez<sup>5</sup>, M.F.R.P. Pina<sup>6</sup>, U. Bilal<sup>1</sup>, L.R. Brandt<sup>5</sup>, <sup>1</sup>Drexel University, USA, <sup>2</sup>Universidad de los Andes, USA, <sup>3</sup>University of California, USA, <sup>4</sup>Universidade Federal de Minas Gerais, Brazil, <sup>5</sup>Universidad Peruana Cayetano Heredia, Peru, <sup>6</sup>Fundação Oswaldo Cruz, Brazil, <sup>7</sup>Universidad de Lanús, Argentina

- [P.66] Effect of the urban and rural divide on health and demography in India: Evidence from NFHS-4**  
S.K. Saroj, *Jawaharlal Nehru University, India*
- [P.67] Housing conditions and its impact on maternal and child health inequalities in selected eight Indian cities: A comparative study from NFHS-III (2005-06) and NFHS-IV (2015-16)**  
S.K. Saroj, *Jawaharlal Nehru University, India*
- [P.68] Understanding the factor associated with alcohol use among men who have sex with men in urban Andhra Pradesh, India**  
S. Sharma, *International Institute for Population Sciences, India*
- [P.69] Association between mobility, violence and STI/ HIV among female sex workers in urban Andhra Pradesh, India**  
S. Sharma, *International Institute for Population Sciences, India*
- [P.70] Re-emerging of plasmodium vivax malaria in temperate climate: Example of outbreak in Moscow (Russia) during 1999-2009**  
N. Shartova\*, V. Mironova, M. Varentsov, M. Grischenko, P. Konstantinov, *Lomonosov Moscow State University, Russia*
- [P.71] Social aspects of abortion in India: Religion and education**  
A.S. Shukla, *Population Council, India*
- [P.72] Unsafe abortion among adolescents: An overlooked crisis in India**  
A.S. Shukla, *Population Council, India*
- [P.73] Urban forest monitoring system with use of UAVs and sensors integrated with mini meteorological stations**  
J.P. Silva\*, F. da Fonseca Rodrigues, S.L.M. Marques, A.C. Lana, A.A. Ghizzi, G.N. Batista, J.P. de Oliveira Silva, T.H. da Silveira, J.V. Mendes, L.K. Kobaicy, V.H. Vasconcelos, *State University of Campinas, Brazil*
- [P.74] Spatial inequality in Brazil: Relations between urban design, mobility and health**  
L.H.C. Silveira\*<sup>1,2</sup>, J.C.B. Vargas<sup>1,2</sup>, S.R. Machry<sup>2</sup>, B.U. Borda<sup>1,2</sup>, A.P. Porto<sup>1,2</sup>, R.C. Gusmão<sup>2</sup>, <sup>1</sup>Universidade Federal do Rio Grande do Sul, Brazil, <sup>2</sup>Health Urban Mobility Project, Brazil
- [P.75] Local level strategies to improve shared sanitation quality in informal settlements: Lessons from Kenya and Ghana**  
S. Simiyu, *Great Lakes University of Kisumu, Kenya*
- [P.76] Conducting observational assessments of activity in retail food and beverage establishments to monitor policy-based public health interventions in Uganda**  
M.J. Smart\*<sup>1</sup>, A. Mutebi<sup>2</sup>, H. Mendoza<sup>2</sup>, G. Tumukunde<sup>2</sup>, <sup>1</sup>Michigan State University, USA, <sup>2</sup>Makerere University, Uganda
- [P.77] Developing an index of adolescent deprivation for use in Western Canada**  
A. Smith\*, M. Peled, S. martin, *McCreary Centre Society, Canada*
- [P.78] Urban-rural inequality in prevention of non-communicable disease among men in India: A cross sectional study**  
S. Srivastava, *International institute for population sciences, India*
- [P.79] Risk factors of abortion in India: Evidences from National Family Health Survey (2015-16)**  
S. Srivastava, *International institute for population sciences, India*
- [P.80] Comparing the relative effect of human resource and economic resources on utilization of maternal health care services in urban India: A multilevel analysis**  
S. Srivastava, *international institute for population sciences, India*
- [P.81] Multilevel approach to understand the factor associated with child immunization in India**  
S. Srivastava, *International Institute for population sciences, India*
- [P.82] Explaining socio-economic inequalities in unmet need for family planning in India: A new insights from latest round of national family health survey (2015-16)**  
S. Srivastava, *International Institute for population sciences, India*
- [P.83] Contributions of community-led data to addressing African informal settlements' health and disaster risks**  
A.M. Sverdluk\*, D. Satterthwaite, *International Institute for Environment and Development, UK*
- [P.84] On land, air and sea: An overview of fine particle concentrations in motorised transport modes in Brazilian cities**  
A.C. Targino\*<sup>1</sup>, P. Krecl<sup>1</sup>, Y.A. Cipoli<sup>1</sup>, J.E. Danziger Filho<sup>1</sup>, M.D. Gibson<sup>2</sup>, B.L.F. Machado<sup>1</sup>, E. Patrick<sup>2</sup>, J.F. Segura<sup>1</sup>, M.V. Oliveira<sup>1</sup>, M.V. Rodrigues<sup>1</sup>, <sup>1</sup>Federal University of Technology, Brazil, <sup>2</sup>Dalhousie University, Canada
- [P.85] The transformative role of city-community partnerships in the fight against ebola and beyond**  
A.C. Vosper\*<sup>1</sup>, M. Nohn<sup>1</sup>, <sup>1</sup>Health Focus GmbH, Germany, <sup>2</sup>Rapid Urbanism, Germany

- [P.86] Sustainable urban transformations and enclaving: A case study of three African cities: Accra, Maputo And Johannesburg**  
D. Y., *Partnership for African Social and Governance Research, Nigeria*
- [P.87] Promoting sustainable construction in our cities with local material suitable in hot and dry climate**  
F. Zoma\*, D.Y.K. Toguyeni, *University Ouaga, Burkina Faso*
- [P.88] Availability of data from national and international sources used in urban air quality monitoring: the case of Romanian cities**  
G. Camara, *Alexandru Ioan Cuza University of Iasi, Romania*
- [P.89] Prefomed Panel: The Challenge Initiative for Health Cities (TCIHC) India Session 3: Listing and mapping to make urban slum population data available to cities for coordinated decision making, monitoring, and mid-course correction**  
U. Gangawar<sup>1</sup>, M.K. Sharma\*<sup>2</sup>, N. Dwivedi<sup>2</sup>, P. Achyut<sup>2</sup>, P.K. Jha<sup>2</sup>, A.L. Soni<sup>2</sup>, <sup>1</sup>*Government of India, National Urban Health Mission, India, 2The Challenge Initiative for Health Cities, Population Services International, India*
- [P.90] Scaling up high impact interventions for Urban family planning - an experience from The Challenge Initiative for Healthy Cities (TCIHC) - India**  
M.K. Sharma\*<sup>1</sup>, S.K. Behera<sup>1</sup>, V. Sharma<sup>1</sup>, P. Saxena<sup>2</sup>, S.K. Pandey<sup>1</sup>, <sup>1</sup>*PSI, India, 2National Health Mission, India*
- [P.91] Fixing day for family planning services increase the number of additional family planning users at scale in Urban India**  
M.K. Sharma\*<sup>1</sup>, V. Sharma<sup>1</sup>, P. Saxena<sup>1,2</sup>, S.K. Pandey<sup>1</sup>, <sup>1</sup>*PSI, India, 2NHM, India*
- [P.92] The urban community agriculture practices in Chinese cities: Case studies in Nanjing and Shanghai**  
Y.F. Wang<sup>1</sup>, J.P. Liu\*<sup>1</sup>, Z.Q. Zhou<sup>1</sup>, S.Q. Lai<sup>2</sup>, L.Y. Han<sup>3</sup>, <sup>1</sup>*Nanjing Forestry University, China, 2Tongji University, China, 3Jiangsu Second Normal University, China*